- 1. A stone is thrown vertically upwards with speed 16 m s^{-1} from a point h metres above the ground. The stone hits the ground 4 s later. Find
 - (a) the value of h, (3)
 - (b) the speed of the stone as it hits the ground.

(3)



- 5. A ball is projected vertically upwards with speed 21 m s⁻¹ from a point A, which is 1.5 m above the ground. After projection, the ball moves freely under gravity until it reaches the ground. Modelling the ball as a particle, find
 - (a) the greatest height above A reached by the ball,

(3)

(b) the speed of the ball as it reaches the ground,

(3)

(c) the time between the instant when the ball is projected from A and the instant when the ball reaches the ground.

(4)

10

(A firework rocket starts from rest at ground level and moves vertically. In the first of its motion, the rocket rises 27 m. The rocket is modelled as a particle moving constant acceleration a m s ⁻² . Find	
((a) the value of a ,	(2)
((b) the speed of the rocket 3 s after it has left the ground.	(2)
	After 3 s, the rocket burns out. The motion of the rocket is now modelled as that particle moving freely under gravity.	of a
	(c) Find the height of the rocket above the ground 5 s after it has left the ground.	(4)
5.000		
	•	



1.	Two particles B and C have mass m kg and 3 kg respectively. They are moving towards each other in opposite directions on a smooth horizontal table. The two particles collide directly. Immediately before the collision, the speed of B is 4 m s^{-1} and the speed of C is 2 m s^{-1} . In the collision the direction of motion of C is reversed and the direction of motion of B is unchanged. Immediately after the collision, the speed of C is $C \text{ m s}^{-1}$ and the speed of C is $C \text{ m s}^{-1}$.	bl
	Find	
	(a) the value of m , (3)	
	(b) the magnitude of the impulse received by C . (2)	000000000000000000000000000000000000000
		6

-		
-		
-		
	4	
-		

8	A ball is thrown vertically upwards with speed u m s ⁻¹ from a point P at height h me above the ground. The ball hits the ground 0.75 s later. The speed of the ball immediately before it hits the ground is 6.45 m s ⁻¹ . The ball is modelled as a particle.		blar
((a) Show that $u = 0.9$	-	
		(3)	
((b) Find the height above P to which the ball rises before it starts to fall towards ground again.	the	
		(2)	
((c) Find the value of h .	(3)	
		-	
		-	
		-	



5. A stone is projected vertically upwards from a point A with speed u m s⁻¹. After projection the stone moves freely under gravity until it returns to A. The time between the instant that the stone is projected and the instant that it returns to A is $3\frac{4}{7}$ seconds.

Modelling the stone as a particle,

(a) show that $u = 17\frac{1}{2}$,

(3)

(b) find the greatest height above A reached by the stone,

(2)

(c) find the length of time for which the stone is at least $6\frac{3}{5}$ m above A.

(6)



- 3. A train moves along a straight track with constant acceleration. Three telegraph poles are set at equal intervals beside the track at points A, B and C, where AB = 50 m and BC = 50 m. The front of the train passes A with speed 22.5 m s⁻¹, and 2 s later it passes B. Find
 - (a) the acceleration of the train,

(3)

(b) the speed of the front of the train when it passes C,

(3)

(c) the time that elapses from the instant the front of the train passes B to the instant it passes C.

(4)

JUNE 2009

Leave blank 1. Three posts P, Q and R, are fixed in that order at the side of a straight horizontal road. The distance from P to Q is 45 m and the distance from Q to R is 120 m. A car is moving along the road with constant acceleration a m s⁻². The speed of the car, as it passes P, is u m s⁻¹. The car passes Q two seconds after passing P, and the car passes R four seconds after passing Q. Find (i) the value of u, (ii) the value of a. (7)

At time $t = 0$, a particle is 10 m above the ground. 17.5 m s ⁻¹ . Find	s projected vertically upwards with speed u m s ⁻¹ from a point At time T seconds, the particle hits the ground with speed
(a) the value of u ,	(3)
(b) the value of T .	(4)
	_

6.	A ball is projected vertically upwards with a speed of 14.7 m s ⁻¹ from a point which 49 m above horizontal ground. Modelling the ball as a particle moving freely upgravity, find	ch is nder
	(a) the greatest height, above the ground, reached by the ball,	(4)
	(b) the speed with which the ball first strikes the ground,	(3)
	(c) the total time from when the ball is projected to when it first strikes the ground.	(3)

nenconnencement		
		00000000000000000000000000000000000000

	•	

***************************************	•	

L	c	1	į	v	1
b	1	a	.1	1	k

5.	A particle P is projected vertically upwards from a point A with speed u m s ⁻¹ . The A is 17.5 m above horizontal ground. The particle P moves freely under gravity upreaches the ground with speed 28 m s ⁻¹ .	point ntil it
	(a) Show that $u = 21$	(3)
	At time t seconds after projection, P is 19 m above A .	
•	(b) Find the possible values of t.	(5)
	The ground is soft and, after P reaches the ground, P sinks vertically downwards in ground before coming to rest. The mass of P is 4 kg and the ground is assumed to e constant resistive force of magnitude 5000 N on P .	to the xert a
	(c) Find the vertical distance that P sinks into the ground before coming to rest.	(4)
		ana mananananana
	•	•
	•	
	·	
	•	
	\$	
	•	



2. A woman travels in a lift. The mass of the woman is 50 kg and the mass of the 950 kg. The lift is being raised vertically by a vertical cable which is attached to the lift. The lift is moving upwards and has constant deceleration of 2 m s ⁻² . By m the cable as being light and inextensible, find		
(a) the tension in the cable,		
	(3)	
(b) the magnitude of the force everted on the warran by the flam of the 110		
(b) the magnitude of the force exerted on the woman by the floor of the lift.	(3)	
	-	

(a) 1	the value of u ,	
	the value of u,	
		(3)
71.)		. ,
(b) 1	the time taken for the lorry to move from A to the mid-point of AB .	16
		(6)
-		