| Please check the examination details be | low before entering your candidate information |
|---|--|
| Candidate surname | Other names |
| Pearson Edexcel Level 1/Level 2 GCSE (9–1) | ntre Number Candidate Number |
| Tuesday 5 Nove | ember 2019 |
| Morning (Time: 1 hour 30 minutes) | Paper Reference 1MA1/1H |
| Mathematics | |
| Paper 1 (Non-Calculator) Higher Tier | VORKSHIRE MATHS TUTOR |
| You must have: Ruler graduated in c protractor, pair of compasses, pen, H Tracing paper may be used. | |

Instructions

- Use black ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 there may be more space than you need.
- You must show all your working.
- Diagrams are NOT accurately drawn, unless otherwise indicated.
- Calculators may not be used.

Information

- The total mark for this paper is 80
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over



P58866A
©2019 Pearson Education Ltd.




Answer ALL questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

1 Find the Lowest Common Multiple (LCM) of 108 and 120



9 × 12 × 10

1080

(Total for Question 1 is 3 marks)

2

2 There are 60 people in a choir.

Half of the people in the choir are women.

30

The number of women in the choir is 3 times the number of men in the choir. The rest of the people in the choir are children.

the number of children in the choir : the number of men in the choir = n:1

Work out the value of n.

You must show how you get your answer.

$$n = 2$$

(Total for Question 2 is 4 marks)

3 Work out $1\frac{3}{4} \times 1\frac{1}{3}$

Give your answer as a mixed number.


$$\frac{7}{4} \times \frac{4}{3} = \frac{7}{3} = 2\frac{1}{3}$$

23

(Total for Question 3 is 3 marks)




4 Use a ruler and compasses to construct the line from the point *P* perpendicular to the line *CD*. You must show all construction lines.



(Total for Question 4 is 2 marks)

5 The diagram shows triangle ABC.



ADB is a straight line.

20

the size of angle DCB: the size of angle ACD = 2:1

Work out the size of angle BDC.

$$75+51 = 126$$

$$180-126 = 54$$

$$36 = 54 + 3 = 18$$

$$2x = 36$$

$$36+51 = 87^{\circ}$$

$$y = 180-87$$

$$= 97^{\circ}$$

(Total for Question 5 is 4 marks)

- 6 4 red bricks have a mean weight of 5 kg.
 - 5 blue bricks have a mean weight of 9 kg.
 - 1 green brick has a weight of 6 kg.

Donna says,

"The mean weight of the 10 bricks is less than 7kg."

Is Donna correct?

You must show how you get your answer.


Donna is incorrect

(Total for Question 6 is 3 marks)

7 (a) Simplify $(p^2)^5$




(b) Simplify $12x^7y^3 \div 6x^3y$



(Total for Question 7 is 3 marks)

8 The accurate scale drawing shows the positions of port P and a lighthouse L.



Scale: 1 cm represents 4 km.

Aleena sails her boat from port P on a bearing of 070°

She sails for $1\frac{1}{2}$ hours at an average speed of 12 km/h to a port Q.

Find

- (i) the distance, in km, of port Q from lighthouse L,
- (ii) the bearing of port Q from lighthouse L.

1 cm: 4 km 4.5cm: 18 km

distance $QL = \frac{18}{18}$ km


bearing of Q from L = 325

(Total for Question 8 is 5 marks)

9 A car travels for 18 minutes at an average speed of 72 km/h.



(a) How far will the car travel in these 18 minutes?



21·6 km

David says,

"72 kilometres per hour is faster than 20 metres per second."

(b) Is David correct?
You must show how you get your answer.

72 km in 1 hour 72000 m in 3600 seconds

7206\$ = 20 m/s

36\$\$

David is wrong as 72km/h

is the same as 20 m/s


(2)

(Total for Question 9 is 4 marks)

10 The cumulative frequency table shows information about the times, in minutes, taken by 40 people to complete a puzzle.

| Time (m minutes) | Cumulative frequency |
|------------------------|-------------------------|
| $20 < m \leqslant 40$ | 5 |
| $20 < m \leqslant 60$ | 25 |
| $20 < m \leqslant 80$ | 35 |
| $20 < m \leqslant 100$ | 38 |
| $20 < m \leqslant 120$ | 40 |

(a) On the grid below, draw a cumulative frequency graph for this information.



(b) Use your graph to find an estimate for the interquartile range.

2.Z. minutes (2)

One of the 40 people is chosen at random.

(c) Use your graph to find an estimate for the probability that this person took between 50 minutes and 90 minutes to complete the puzzle.

$$397-15 = 22$$

$$\frac{22}{46} \times 106$$

(2)

(Total for Question 10 is 6 marks)

11 There are *p* counters in a bag. 12 of the counters are yellow.

Shafiq takes at random 30 counters from the bag. 5 of these 30 counters are yellow.

Work out an estimate for the value of p.

$$P(Y) = \frac{12}{p}$$
 $\frac{5}{30} = \frac{12}{p}$
 $5p = \frac{30 \times 12}{500}$
 $5p = \frac{360}{p}$
 $9 = 72$

72

(Total for Question 11 is 2 marks)

12
$$T = \frac{q}{2} + 5$$

Here is Spencer's method to make q the subject of the formula.

$$2 \times T = q + 5$$
$$q = 2T - 5$$

What mistake did Spencer make in the first line of his method?

All 3 terms should have been multiplied by Z, not just 2 of them

(Total for Question 12 is 1 mark)

13 (a) Write $\frac{5}{x+1} + \frac{2}{3x}$ as a single fraction in its simplest form.

$$5 \times 3 \times + 2(x + 1)$$

 $3 \times (x + 1)$
 $= 15 \times + 2 \times + 2 = 17 \times + 2$
 $3 \times (x + 1)$
 $3 \times (x + 1)$
 $3 \times (x + 1)$

 $\frac{17x+2}{3x(x+1)}$


(b) Factorise $(x + y)^2 + 3(x + y)$

$$(x+y)[(x+y)+3]$$

(x+y)(x+y+3)

(Total for Question 13 is 3 marks)

14 The diagram shows a right-angled triangle.



All the measurements are in centimetres.

The area of the triangle is 27.5 cm²

Work out the length of the shortest side of the triangle.

You must show all your working.

$$\frac{1}{2}(x-2)(5x+4) = 27.5$$

$$\frac{1}{2}(x^2+4x-2x-8) = 27.5$$

$$\frac{1}{2}(x^2+2x-8) = 27.5$$

$$\frac{1}{2}(x^2+2x-8) = 55$$

$$\frac{1}{2}(x^2+2x-8) = 55$$

$$\frac{1}{2}(x^2+2x-8) = 55$$

$$\frac{1}{2}(x^2+2x-8) = 27.5$$

$$\frac{1}{2}(x^2+2x-8) = 2$$

S cm

(Total for Question 14 is 4 marks)

15 Express 0.418 as a fraction.

You must show all your working.

$$000 = 0.41818...$$
 $1000 = 4.8.1818...$

$$2 - 0$$
 9903c = 414
 $x = \frac{414}{990}$

990

(Total for Question 15 is 3 marks)

16 (a) Rationalise the denominator of $\frac{22}{\sqrt{11}}$

Give your answer in its simplest form.

2 111

(b) Show that $\frac{\sqrt{3}}{2\sqrt{3}-1}$ can be written in the form $\frac{a+\sqrt{3}}{b}$ where a and b are integers.


(3)

(Total for Question 16 is 5 marks)



;;

17 A and B are two similar cylindrical containers.



the surface area of container A: the surface area of container B = 4:9

Tyler fills container A with water.

She then pours all the water into container B.

Tyler repeats this and stops when container B is full of water.

Work out the number of times that Tyler fills container A with water.

You must show all your working.

4

(Total for Question 17 is 4 marks)





- 18 The function f is given by
 - (a) Show that $f^{-1}(50) = 3$

$$f(x) = 2x^{3} - 4$$

$$y = 2x^{3} - 4$$

$$y + 4 = 2x^{3}$$

$$y + 4 = 3x$$

$$y + 3x$$

$$y$$

The functions g and h are given by

$$g(x) = x + 2$$
 and $h(x) = x^2$

(b) Find the values of x for which

$$hg(x) = 3x^{2} + x - 1$$

$$hg(x) = \left(5c + 2\right)^{2}$$

$$\left(5c + 2\right)^{2} = \left(5c + 2\right)^{2}$$

$$\left(5c + 2\right)^{2} = 3c^{2} + x - 1$$

$$5c^{2} + 4c + 4 = 3c^{2} + x - 1$$

$$0 = 2c^{2} - 3c - 5$$

$$0 = \left(2x - 5\right)\left(5c + 1\right)$$
Either $2c - 5 = 0$ or $5c + 1 = 0$

$$x = 2.5$$
 or $x = -1$
(4)

(Total for Question 18 is 6 marks)



19 Given that $9^{-\frac{1}{2}} = 27^{\frac{1}{4}} \div 3^{x+1}$ find the exact value of x.

$$9^{-\frac{1}{2}} = 27^{\frac{1}{4}} - 3^{\infty + 1}$$

$$(3^{2})^{-\frac{1}{2}} = (3^{3})^{\frac{1}{4}} - 3^{\infty + 1}$$

$$3^{-1} = 3^{\frac{3}{4}} - 3^{\infty + 1}$$

$$-1 = \frac{3}{4} - (3c + 1)$$


$$-1 = \frac{3}{4} - 3c - 1$$

$$-1 = -\frac{1}{4} - 3c$$

$$x = 1 - \frac{1}{4}$$

(Total for Question 19 is 3 marks)

20 The graph of y = f(x) is shown on the grid.



(a) On the grid, draw the graph with equation y = f(x + 1) - 3

(2)

Point A(-2, 1) lies on the graph of y = f(x).

When the graph of y = f(x) is transformed to the graph with equation y = f(-x), point A is mapped to point B.

(b) Write down the coordinates of point B.

(1)

(Total for Question 20 is 3 marks)

21 Sketch the graph of

$$y = 2x^2 - 8x - 5$$

showing the coordinates of the turning point and the exact coordinates of any intercepts with the coordinate axes.

Meets 20

Quadratic formula = 8+14 x 1726

x = 8 + 1(8)2-4×2×-3

 $x = 4 + \sqrt{26}$ or $4 - \sqrt{26}$

when x=0, y=-5 (0,-5)

Minimum point - complete the square

$$2x^{2}-8x-5$$


$$= 2(x^{2}-4x-\frac{5}{2})$$

$$= 2 \left[(x-2)^2 - 2^2 - \frac{5}{2} \right]$$

$$=2[(\infty-2)^2-6.5]$$

$$= 2(3x-2)^2 - 13$$


min pt at (2,-13)



(Total for Question 21 is 5 marks)



22 A, B, C and D are four points on a circle.



AEC and DEB are straight lines.

Triangle AED is an equilateral triangle.

Prove that triangle ABC is congruent to triangle DCB.

LABD = LACD (angles on same arc)

LBAC = LBDC (angles on same arc)

LDAE = LAED = LADE (equilateral triangle ADE)

Using triangles

ABC and DBC

BC is a common side * Side

LDBC = 66° (angles on same arc) * Angle

LDCB = 66° (angles on same arc) * Angle

(Total for Question 22 is 4 marks)

TOTAL FOR PAPER IS 80 MARKS

